INTRODUCTION FOR VENDOR INFORMATION WS AND WP CHEMISTRY STUDY SERIES JANUARY 12, 2001

The following communication was provided by the Environmental Laboratory Accreditation Program (ELAP) in 2001 to vendors, who provide drinking water and wastewater performance evaluation study samples for the ELAP certification program. The communication provides updated information to the earlier communications, and consists of reporting requirements and coding for database use. This communication is being posted on the ELAP website as instructed by management.

DEPARTMENT OF HEALTH SERVICES

2151 BERKELEY WAY BERKELEY, CA 94704-1011

January 12, 2001



VENDOR INFORMATION UPDATE 2
CALIFORNIA ELAP PERFORMANCE EVALUATION STUDY PROGRAM
WATER SUPPLY (WS) AND WATER POLLUTION (WP) STUDY SERIES
CHEMISTRY

Vendor information update 2 is in reference to the California State Environmental Laboratory Accreditation Program's (ELAP) certification program (i.e. non-NELAP) information package of December 22, 1999. The update includes changes, clarifications, and reminders to vendors of performance evaluation study samples.

REMINDER: At the completion of a study, hard copies of the laboratory evaluation reports, that were provided to the laboratories, must be sent to:

Fred Choske California State Department of Health Services Environmental Laboratory Accreditation Program 2151 Berkeley Way, Annex 2 Berkeley, CA 94704.

Faxed copies of the evaluation reports are not accepted

REMINDER: The evaluation reports must be similar to past USEPA reports, i.e. the analytes, etc. should be on the same sheet, rather than on individual sheets. Where laboratory reported results are not available for analytes, these analytes should not appear in the report. If an analyte or sample is invalidated for any reason, the evaluation report should contain the laboratory reported result, and the evaluation of "not evaluated" for the analyte(s) affected.

UPDATE: At the completion of a study, electronically transmitted evaluation report(s) in ASCII, comma delimited format as described in the U.S. Environmental Protection Agency Criteria Document of December 1998, on 3.5-inch diskettes must be mailed to Fred Choske with the hard copies of the evaluation reports. As described in the reminder above and in the enclosed revised document, the hard copies of the evaluation reports are those provided to the laboratories, and are different from the electronic version. (The fields for the electronic form of the evaluation report(s) must meet the requirements described in the U.S. Environmental Protection Agency Criteria Document of December 1998. The only identification of the participant laboratory in the electronic form of the evaluation report should be the EPA laboratory code which is the "participant identifier" in



Page 2 of 3 Vendor Information Update 2 WS/WP Chemistry January 12, 2001

the U.S. Environmental Protection Agency Criteria Document of December 1998.) In addition to the fields described in the U.S. Environmental Protection Agency Criteria Document of December 1998, fields designating the commencement and conclusion of the study are required: study commencement date field identifier "date1" with MM/DD/YYYY entry format; study conclusion date field identifier "date2" with MM/DD/YYYY entry format. (The study commencement would be the date the first shipment of study samples is mailed out to the labortories which would be the first day of the 45-day study period. The study conclusion would be the date of study closure which would be the 45th day of the study period.)

NOTE: As of January 03, 2001, electronic submittal of evaluation reports through E-mail will no longer be accepted.

- 4 UPDATE: As of January 03, 2001, for communications concerning transmission of electronic data, vendors should contact Fred Choske as the primary contact person for California ELAP. In Fred Choske's absence the backup contact person is Jane Jensen. Both contacts can be reached at (510) 540-2800.
- 5 UPDATE: At the completion of a study, print outs of the "Study Summary Results File", as described in the U.S. Environmental Protection Agency Criteria Document of December 1998, must be mailed to Fred Choske.
- 6 UPDATE: At the completion of a study, a hard copy of a list of codes ("analyte identifiers") corresponding to the description of the analytes is also required by California ELAP. If the vendor is using "method codes", a hard copy of a list of method codes corresponding to the method descriptions should also be included in the mailing to Fred Choske.
- 7 UPDATE: At the completion of a study, a hard copy of the homogeneity tests, the stability tests, and the verification tests of the assigned value for each analyte must be mailed to Fred Choske.
- 8. UPDATE: The analyte codes which appear in the U.S. Environmental Protection Agency Criteria Document of December 1998, historical U.S. Environmental Protection Agency performance evaluation studies, and the June 2000 publication of the NELAP PT analyte list should be applied to the California supplemental analytes. The analyte codes for those analytes that do not appear in the above cited documents and publications are enclosed.

Page 3 of 3 Vendor Information Update 2 WS/WP Chemistry January 12, 2001

9 UPDATE: Until method codes are assigned by NELAP, the laboratories should be instructed to enter only the method number for the method description to maintain some uniformity. (The method numbers are fairly unique.)

The enclosed information for the California ${\sf ELAP}$ certification program is for the vendor only.

Please contact Jane Jensen at (510) 540-2800, if you have any questions. Your cooperation is greatly appreciated.

Sincerely

Fred Seto, Ph.D.
Quality Assurance Section Chief

(Signed by JJ)

Jane Jensen

Environmental Laboratory Accreditation Program

Enclosure

ELAP WS/WP Study Requirements - Vendor Information (pages 2,3, and 4 Analyte Codes

ELAP WS/WP Study Requirements Vendor Information (Revised January 2001) Page 2 of 4

5. The evaluation report, provided to a laboratory, must have the following minimum information

vendor's name, NIST accreditation number, location, telephone fax type of sample and matrix study date (commencement and conclusion) study number laboratory's (participant) complete name and address if mobile, license number, vehicle identification number laboratory EPA ID code analyte name, analyte code method of analyses, method code reported results acceptance range true value (assigned value) evaluation.

The evaluation reports must be similar to past USEPA reports, i.e. the analytes, etc. should be on the same sheet, rather than on individual sheets. Where laboratory reported results are not available for analytes, these analytes should not appear in the report. If an analyte or sample is invalidated for any reason, the evaluation report should contain the laboratory reported result, and the evaluation of "not evaluated" for the analyte(s) affected.

At the completion of a study, hard copies of the laboratory evaluation reports, that were provided to the laboratories, must be sent to:

Fred Choske California State Department of Health Services Environmental Laboratory Accreditation Program 2151 Berkeley Way, Annex 2 Berkeley, CA 94704.

Faxed copies of the evaluation reports are not accepted

At the completion of a study, electronically transmitted evaluation report(s) in ASCII, comma delimited format as described in the U.S. Environmental Protection Agency Criteria Document of December 1998, on 3.5-inch diskettes must be mailed to Fred Choske with the hard copies of the evaluation reports. As described in 5 and 7 above, the hard copies of the evaluation reports are those provided to the laboratories, and are different from the electronic version. (The fields for the electronic form of the evaluation report(s) must meet the requirements described in

ELAP WS/WP Study Requirements Vendor Information (Revised January 2001) Page 3 of 4

the U.S. Environmental Protection Agency Criteria Document of December 1998. The only identification of the participant laboratory in the electronic form of the evaluation report must be the EPA laboratory code which is the "participant identifier" in the U.S. Environmental Protection Agency Criteria Document of December 1998.) In addition to the fields described in the U.S. Environmental Protection Agency Criteria Document of December 1998, fields designating the commencement and conclusion of the study are required: study commencement date field identifier "date1" with MM/DD/YYYY entry format; study conclusion date field identifier "date2" with MM/DD/YYYY entry format. (The study commencement would be the date the first shipment of study samples is mailed out to the labortories which would be the first day of the 45-day study period. The study conclusion would be the date of study closure which would be the 45th day of the study period.)

NOTE: As of January 03, 2001, electronic submittal of evaluation reports through E-mail will no longer be accepted.

- 9. As of January 03, 2001, for all communications concerning transmission of electronic data, vendors should contact Fred Choske as the primary contact person for California ELAP. In Fred Choske's absence the backup contact person is Jane Jensen. Both contacts can be reached at (510) 540-2800.
- 10. At the completion of a study, print outs of the "Study Summary Results File", as described in the U.S. Environmental Protection Agency Criteria Document of December 1998, must be mailed to Fred Choske.
- 11. At the completion of a study, a hard copy of a list of codes ("analyte identifiers") corresponding to the description of the analytes is also required by California ELAP. If the vendor is using "method codes", a hard copy of a list of method codes corresponding to the method descriptions should also be included in the mailing to Fred Choske.
- 12. At the completion of a study, hard copies of the homogeneity tests, the stability tests, and the verification tests of the assigned value for each analyte must be mailed to Fred Choske.
- 13. The analyte codes which appear in the USEPA Criteria document of 1998, the USEPA historical performance evaluation studies, and the June 2000 publication of the NELAC PT analyte list should be applied to the California supplemental analytes. The analyte codes for those analytes that do not appear in the above cited documents and publications are provided in the attachment, titled "Analyte Codes".
- Until method codes are assigned by NELAP, the laboratories should be instructed to enter only the method number for the method description to maintain some uniformity. (The method numbers are fairly unique.)

ELAP WS/WP Study Requirements Vendor Information (Revised January 2001) Page 4 of 4

- 15. ELAP expects to receive copies of evaluation reports (hard copy and electronic) for all performance evaluation studies in which the laboratory participated. If a laboratory wishes to participate in a study for quality control purposes and requests that ELAP not receive a copy of the report, such a request must be made prior to participation in the study. To avoid confusion, such laboratories have been recommended to order blind quality control samples which are not part of on-going performance evaluation studies.
- 16. Lists of approved methods for certification by ELAP are available on the Web, www.dhs.ca.gov/ps/ls/elap/elapindex.htm. They appear at the end of each laboratory information form, which lists the subgroups available for certification within each field-of-testing. (The fields-of-testing for drinking water are 2, 3, 4, and 5. The fields-of-testing for wastewater are 16, 17, 18, and 19.) Approved methods are also available in the Code of Federal Regulations, volume 40, parts 136 and 141.
- 17. With the termination of the classic USEPA WS/WP studies in 1998, uniformity in the administration of the performance evaluation studies ceased. However, through the use of the USEPA criteria document variables in the evaluation of participant results could be minimized. In order to ensure that the analytes which appear in the USEPA criteria document are scored uniformly throughout the country, all vendors must use the USEPA established acceptance limit criteria for these analytes. Deviation from such acceptance limit criteria are not acceptable to ELAP.
- 18 Contact for specifications and genera questions from PT providers should be directed to:

Fred Choske at (510) 540-2800 or FAX (510) 540-3141.

ANALYTE CODES

Analyte codes, that do not appear in this document, appear in the U.S. Environmental Protection Agency Criteria Document of December 1998, historical U.S. Environmental Protection Agency performance evaluation studies, and the June 2000 publication of the NELAC PT list of analytes.

Drinking Water (SWDA):

```
code analyte
INORGANIC COMPOUNDS & PHYSICAL PROPERTIES
508
      chlorine (combined & total)
022
      chlorine (total)
028
      corrosivity (Langlier's index)
500
509
      perchlorate
501
      silica
510
      UV 254
CARBAMATES
522
      carbaryl
523
      3-hydroxycarbofuran
524.
      diuron
HERBICIDE
521
      bentazon
PCB
502
      aroclor 1016/1242
503
      aroclor 1232
504
      aroclor 1248
505
      aroclor 1254
506
      aroclor 1260
PESTICIDE
515
      chlorothalonil
516
      diazinon
517
      dimethicate
518
      molinate (ordam)
507
      paraquat
519
      prometryn
520
      thiobencarb
VOLATILE ORGANIC COMPOUND
511
      ethyl-t-butylether (ETBE)
512
      t-amylmethylether (TAME)
513
      di-isopropylether (DIPE)
514
      MTBE
676
      trichlorotrifluoroethane (Freon 113
678
      trichlorofluoromethane (Freon 11)
078
      1-phenylpropane
```

WasteWater (CWA)

625

code analyte

```
INORGANIC COMPOUNDS & PHYSICAL PROPERTIES
536
      acidity
537
      boron (colorimetric method)
624
      boron (non-colorimetric method)
627
      bromide
628
      nitrite
677
      oil & grease (by IR)
538
      settleable residue (settleable solids)
539
      volatile residue
501
      silica
540
      sulfide (includes total & soluble)
500
      surfactants (MBAS)
541
      tannin & lignin
621
      turbidity
542
      total recoverable PHCs by IR
543
      total organic halides (TOX)
METALS
525
      gold
526
      iridium
527
      osmium
535
      palladium
528
      platinum
529
      rhodium
530
      ruthenium
CARBAMATE
544
      carbofuran
524
      diuron
629
      methomyl
630
      oxamyl (vydate)
545
      propham
MISCELLANEOUS ORGANIC COMPOUNDS
532
      acrolein
533
      acrylonitrile
534
      benzidine
626
      butylbenzylphthalate
```

dioxin (2,3,7,8-TCDD)

Hazardous Waste (RCRA

645

OCDF

code analyte

```
INORGANIC COMPOUNDS & PHYSICAL PROPERTIES
010
      fluoride
540
      sulfide
675
      corrosivity - pH
      ignitability - flashpoint
673
674
      reactivity
CARBAMATE
098
      aldicarb (temik)
099
      aldicarb sulfone
100
      aldicarb sulfoxide
655
      carbaryl (sevin)
544
      carbofuran (furadan)
656
      dioxacarb
524
      diuron
657
      3-hydroxycarbofuran
658
      methiocarb (mesurol)
629
      methomyl (lannate)
659
      promecarb
660
      propoxur (baygon)
CHLORINATED HYDROCARBONS
609
      benzal chloride
610
      benzotrichloride
605
      hexachlorocyclohexane
606
      hexachloroethane
611
      pentachlorobenzene
607
      pentachlorohexane
612
      1,2,3,4-tetrachlorobenzene
613
      1,2,4,5-tetrachlorobenzene
614
      1,2,3,5-tetrachlorobenzene
      1,2,3-trichlorobenzene
077
      1,3,5-trichlorobenzene
615
DIOXIN/DIBENZOFURAN
636
      TCDD
637
      PeCDD
638
      HxCDDs
639
      HpCDD
640
      OCDD
641
      TCDF
642
      PeCDFs
643
      HxCDFs
644
      HpCDFs
```

Hazardous Waste (RCRA)

116

623

dinoseb MCPP

code analyte **EXPLOSIVE** 661 HMX (octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine 662 RDX (hexahydro-1,3,5-trinitro-1,3,5-triazine) 663 1,3,5-TNB (1,3,5-trinitrobenzene) 664 1,3-DNB (1,3-dinitrobenzene) 665 tetryl (metyl-2,4,6-trinitrophenylnitramine) 2,4,6-TNT (2,4,6-trinitrotoluene) 666 667 4-Am-DNT (4-amino-2,6-dinitrotoluene) 668 2-Am-DNT (4-amino-4,6-dinitrotoluene) 2-NT (2-nitrotoluene) 669 670 3-NT (3-nitrotoluene) 671 4-NT (4-nitrotoluene) 672 tetrazene **HALOETHER** 631 bis(2-chloroethyl)ether 587 2-chlorophenyl-4-nitrophenylether 588 3-chlorophenyl-4-nitrophenylether 589 4-chlorophenyl-4-nitrophenylether 590 2,4-dibromophenyl-4-nitrophenylether 591 2,4-dichlorophenyl-3-methyl-4-nitrophenylether 592 2,6-dichlorophenyl-4-nitrophenylether 3,5-dichlorophenyl-4-nitrophenylether 593 2,5-dichlorophenyl-4-nitrophenylether 594 2,4-dichlorophenyl-4-nitrophenylether 595 2,3-dichlorophenyl-4-nitrophenylether 596 597 3,4-dichlorophenyl-4-nitrophenylether 4-nitrophenylphenylether 598 2,4,6-trichlorophenyl-4-nitrophenylether 599 600 2,3,6-trichlorophenyl-4-nitrophenylether 601 2,3,5-trichlorophenyl-4-nitrophenylether 2,4,5-trichlorophenyl-4-nitrophenylether 602 3,4,5-trichlorophenyl-4-nitrophenylether 603 2,3,4-trichlorophenyl-4-nitrophenylether 604 HERBICIDES 622 2,4-DB 115 dalapon

Hazardous Waste (RCRA)

TPH 546

547

gasoline

diesel

code analyte NITROAROMATIC/CYCLIC KETONE 578 1-chloro-2,4-dinitrobenzene 579 1-chloro-4-nitrobenzene 580 4-chloro-3-nitrotoluene 581 3,5-dichloronitrobenzene 582 dinitramine 041 1,4-dinitrobenzene 583 1,2-naphthoquinone 584 2-nitrotoluene 577 pentachloronitrobenzene 585 2,3,4,5-tetrachloronitrobenzene 586 2,4,6-trichloronitrobenzene 244 trifluralin PESTICIDE 575 alpha-chlordane 576 gamma-chlordane 516 diazinon dichlorvos (DDVP) 615 617 melathion 618 phorate 619 ronnel 620 stirophos (tetrachlorovinphos) PHENOL 563 3-methylphenol (m-cresol) 4-methylphenol (p-cresol) 564 2,3,4,5-tetrachlorophenol 565 566 2,3,4,6-tetrachlorophenol 567 2,3,5,6-tetrachlorophenol **PHTHALATE** bis(2-methoxyethyl)phthalate 568 569 diamylphthalate 570 dicyclohexylphthalate 571 dinonylphthalate hexyl-2-ethylhexylphthalate 572 SEMI-VOLATILE COMPOUND 2-amino-1-methylbenzene (o-toluidine 559 634 aniline maleic anhydride 635

Hazardous Waste (RCRA)

653

654

o-tolualdehyde

p-tolualdehyde

code analyte VOLATILE ORGANIC COMPOUND 067 bromobenzene 068 chloromethane 632 chloroacetaldehyde 880 dichlorodifluoromethane 084 isopropylbenzene 560 methyl-t-butylether 061 1,1,2-trichloroethane 1,1,1-trichloroethane 036 061 1,1,2-trichloroethane 087 trichlorofluoromethane 064 1,2,3-trichloropropane 032 vinylchloride 045 1,2-dibromo-3-chloropropane (DBCP) 046 ethylene dibromide (EDB) 549 allyl alcohol 550 t-butyl alcohol 551 1,4-dioxane 552 ethylene glycol 553 methanol 554 methylisobutylketone (MIBK) 555 N-nitroso-di-n-butylamine 556 paraldehyde 557 2-pentanone 558 pyridine 559 o-toluidine MISCELLANEOUS ORGANIC COMPOUNDS 562 acrylamide 561 acrylonitrile 227 N-nitrosodimethylamine 229 N-nitrosodiphenylamine 548 petroleum hydrocarbons 646 acetaldehyde 647 acetone 648 benzaldehyde 649 cyclohexanone 650 formaldehyde 651 octanal 652 m-tolualdehyde